



Titan Florida
11000 NW 121 Way
Medley, FL 33178
(800) 458-4250

This is to certify that Titan America® Stucco Cement, manufactured by Titan Florida, complies with the requirements of the American Society for Testing and Materials ASTM C-91 “Standard Specification for Masonry Cement.” It will also produce either a Type N or Type S Mortar as defined by ASTM C-270 when mixed and tested according to ASTM C-270.

Titan America ® Stucco Cement is manufactured by inter-grinding Portland Cement Clinker (meeting ASTM C-150), Gypsum and Limestone. During the manufacturing process air entraining and water repellent admixtures are added to enhance workability of the product.

Titan America ® Stucco Cement when mixed in accordance with Table 3 of ASTM C-926 will produce a type M or MS base and/or scratch coat plaster.

Titan America ® Stucco Cement when mixed in accordance with Table 4 of ASTM C-926 will produce a Type FM or FMS finish coat plaster.

Titan America ® Stucco Cement when mixed in accordance with ASTM C-1328 will produce Type S or Type M plastic stucco cement that meets or exceeds the requirements of that Standard for exterior plastering.

Titan America ® Stucco Cement when mixed in agreement with ASTM C-926 will produce a type M or MS plaster.

Titan America ® Stucco Cement is not intended to be a waterproof barrier.

If we can be of further assistance, please feel free to contact us.

Sincerely,

A handwritten signature in black ink that reads "Victor Turiel". The signature is written in a cursive style with a large, sweeping initial "V".

Victor Turiel
Quality Control Manager

A Titan Group Company