



Titan Florida  
11000 N.W. 121 Way  
Medley, FL 33178  
Telephone (305) 364-2230  
Fax (305) 364-2288  
[www.titanamerica.com](http://www.titanamerica.com)

This is to certify that Titan America® Stucco Cement, manufactured by Titan Florida, complies with the requirements of the American Society for Testing and Materials ASTM C-91 “Standard Specification for Masonry Cement.” It will also produce a Type N or a Type S Mortar as defined by ASTM C-270 when mixed and tested according to ASTM C-270.

Titan America ® Stucco Cement is manufactured by inter-grinding Portland Cement Clinker (meeting ASTM C-150 for both Type I and Type II Portland Cement), Gypsum and Limestone. During the manufacturing process air entraining and water repellent admixtures are added to enhance workability of the product.

This is to certify that Titan America® Stucco Cement is manufactured at Titan America's Pennsuco Plant in Medley, FL. In addition, limestone mined for the purpose of cement manufacture is produced from the aggregate mines at Titan America's Pennsuco Plant in Medley, FL.

Titan America ® Stucco Cement when mixed in accordance with Table 3 of ASTM C-926 will produce a type M or MS base and/or scratch coat plaster.

Titan America ® Stucco Cement when mixed in accordance with Table 4 of ASTM C-926 will produce a Type FM or FMS finish coat plaster.

Titan America ® Stucco Cement when mixed in accordance with ASTM C-1328 will produce Type S or Type M plastic stucco cement that meets or exceeds the requirements of that Standard for exterior plastering.

Titan America ® Stucco Cement is not intended to be a waterproof barrier.

If we can be of any further assistance, please contact us at [www.titanamerica.com](http://www.titanamerica.com) or by phone at (800) 226-2057.

Sincerely,

A handwritten signature in black ink that reads "Victor Turiel". The signature is written in a cursive, flowing style.

Victor Turiel  
Quality Control Manager